

SampleWorks - 130 Cedar Building, Community Monitoring																			
Sample No.	Sampling Location	Collection Start Date	Collection Time	Collection End Date	Collection Time (off)	Total collection time, minutes	Sample Volume (liters)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Total Structure Count	Asbestos < 5 µm	Asbestos ≥ 5 µm	Result (Strm <sup>3</sup> )	Concentration (foc)	EPA Site Specific Trigger Level	Exceeds EPA Site Specific Trigger Level?	Comments
5271365	3-90 West Courtyard at 2nd Floor Level	1/13/2008	7:21 AM	1/13/2008	12:05 PM	4:44	286	1,517	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No
5271366	4-Abany St 6th Floor Scalloffing	1/13/2008	7:39 AM	1/13/2008	12:35 PM	2:56	296	1,517	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No
5271367	5-Washington St 6th Floor Scalloffing	1/13/2008	7:40 AM	1/13/2008	12:34 PM	2:54	1,544	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5271368	6-Cedar St 6th Floor Scalloffing	1/13/2008	7:41 AM	1/13/2008	12:34 PM	2:53	1,544	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5271369	7-Roof, East Facade	1/13/2008	7:44 AM	1/13/2008	12:29 PM	2:85	1,496	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5271370	8-Roof, North Facade	1/13/2008	7:45 AM	1/13/2008	12:27 PM	2:82	1,481	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 7.3	< 0.0019	70 Smm2	No	
5271356	3-90 West Courtyard at 2nd Floor Level	1/14/2008	7:19 AM	1/14/2008	13:01 PM	4:52	1,617	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5271357	4-Abany St 6th Floor Scalloffing	1/14/2008	7:45 AM	1/14/2008	1:40 PM	2:55	1,686	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5271360	5-Washington St 6th Floor Scalloffing	1/14/2008	7:50 AM	1/14/2008	1:43 PM	4:73	1,656	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5271361	6-Cedar St 6th Floor Scalloffing	1/14/2008	7:55 AM	1/14/2008	1:46 PM	4:71	1,686	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5271362	7-Roof, East Facade	1/14/2008	7:56 AM	1/14/2008	1:39 PM	4:59	1,669	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5271363	8-Roof, North Facade	1/14/2008	7:58 AM	1/14/2008	1:38 PM	4:70	1,645	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/15/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270888	3-90 West Courtyard at 2nd Floor Level	1/14/2008	3:03 PM	1/14/2008	11:49 PM	5:26	1,841	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 8	< 0.0019	70 Smm2	No	
5270889	4-Abany St 6th Floor Scalloffing	1/14/2008	3:41 PM	1/14/2008	11:24 PM	4:60	1,841	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270890	5-Washington St 6th Floor Scalloffing	1/14/2008	3:44 PM	1/14/2008	11:24 PM	4:58	1,580	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5270891	6-Cedar St 6th Floor Scalloffing	1/14/2008	3:47 PM	1/14/2008	11:24 PM	4:57	1,600	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5270892	7-Roof, East Facade	1/14/2008	3:29 PM	1/14/2008	11:23 PM	4:50	1,620	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270893	8-Roof, North Facade	1/14/2008	3:31 PM	1/14/2008	11:21 PM	4:70	1,645	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270877	3-90 West Courtyard at 2nd Floor Level	1/15/2008	8:00 AM	1/15/2008	1:25 PM	4:15	1,453	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 7.3	< 0.0019	70 Smm2	No	
5270878	4-Abany St 6th Floor Scalloffing	1/15/2008	8:02 AM	1/15/2008	1:26 PM	4:20	1,466	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5270895	4-Abany St 6th Floor Scalloffing	1/15/2008	7:49 AM	1/15/2008	1:39 PM	4:71	1,686	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270879	5-Washington St 6th Floor Scalloffing	1/15/2008	7:49 AM	1/15/2008	1:34 PM	4:65	1,628	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270880	6-Cedar St 6th Floor Scalloffing	1/15/2008	7:51 AM	1/15/2008	1:34 PM	4:60	1,633	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270881	7-Roof, East Facade	1/15/2008	7:56 AM	1/15/2008	1:25 PM	4:49	1,572	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5270882	8-Roof, North Facade	1/15/2008	7:37 AM	1/15/2008	1:27 PM	4:70	1,659	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/16/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270868	3-90 West Courtyard at 2nd Floor Level	1/15/2008	2:56 PM	1/15/2008	10:56 PM	4:59	1,549	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270867	4-Abany St 6th Floor Scalloffing	1/15/2008	3:36 PM	1/15/2008	10:56 PM	4:40	1,540	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5270868	5-Washington St 6th Floor Scalloffing	1/15/2008	3:34 PM	1/15/2008	10:57 PM	4:43	1,551	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5270869	6-Cedar St 6th Floor Scalloffing	1/15/2008	3:31 PM	1/15/2008	10:56 PM	4:48	1,568	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5270870	7-Roof, East Facade	1/15/2008	3:25 PM	1/15/2008	11:04 PM	4:61	1,614	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270871	8-Roof, North Facade	1/15/2008	3:27 PM	1/15/2008	11:06 PM	4:57	1,600	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5270855	3-90 West Courtyard at 2nd Floor Level	1/16/2008	7:50 AM	1/16/2008	1:32 PM	4:62	1,640	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270856	4-Abany St 6th Floor Scalloffing	1/16/2008	7:38 AM	1/16/2008	1:33 PM	4:55	1,638	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270857	5-Washington St 6th Floor Scalloffing	1/16/2008	7:40 AM	1/16/2008	1:31 PM	4:55	1,615	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270858	6-Cedar St 6th Floor Scalloffing	1/16/2008	7:41 AM	1/16/2008	1:34 PM	4:57	1,645	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270859	7-Roof, East Facade	1/16/2008	7:29 AM	1/16/2008	1:32 PM	4:74	1,706	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270860	8-Roof, North Facade	1/16/2008	7:30 AM	1/16/2008	1:32 PM	4:74	1,683	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/17/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270304	3-90 West Courtyard at 2nd Floor Level	1/16/2008	3:32 PM	1/16/2008	11:16 PM	4:64	1,624	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270305	4-Abany St 6th Floor Scalloffing	1/16/2008	3:13 PM	1/16/2008	10:49 PM	4:56	1,596	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5270306	5-Washington St 6th Floor Scalloffing	1/16/2008	3:15 PM	1/16/2008	10:51 PM	4:66	1,573	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5270307	6-Cedar St 6th Floor Scalloffing	1/16/2008	3:18 PM	1/16/2008	10:53 PM	4:55	1,593	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	0	0	0	< 7.8	< 0.0019	70 Smm2	No	
5270308	7-Roof, East Facade	1/16/2008	3:23 PM	1/16/2008	10:58 PM	4:55	1,593	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	0	0	0	< 7.3	< 0.0019	70 Smm2	No	
5270309	8-Roof, North Facade	1/16/2008	3:24 PM	1/16/2008	10:55 PM	4:55	1,615	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	1	1	0	8.3	0.002	70 Smm2	No	
5270844	3-90 West Courtyard at 2nd Floor Level	1/17/2008	7:12 AM	1/17/2008	2:56 PM	4:64	1,624	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270845	4-Abany St 6th Floor Scalloffing	1/17/2008	7:42 AM	1/17/2008	1:42 PM	4:76	1,714	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270846	5-Washington St 6th Floor Scalloffing	1/17/2008	7:44 AM	1/17/2008	1:43 PM	4:79	1,677	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270847	6-Cedar St 6th Floor Scalloffing	1/17/2008	7:45 AM	1/17/2008	1:45 PM	4:80	1,680	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270848	7-Roof, East Facade	1/17/2008	7:35 AM	1/17/2008	1:40 PM	4:71	1,660	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5270849	8-Roof, North Facade	1/17/2008	7:38 AM	1/17/2008	1:39 PM	4:72	1,652	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/18/2008	0	0	0	< 8.3	< 0.0019	70 Smm2	No	
5271523	3-90 West Courtyard at 2nd Floor Level	1/17/2008	2:57 PM	1/17/2008	11:12 PM	4:95	1,733	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/19/2008	1	1	0	9	0.002	70 Smm2	No	
5271524	4-Abany St 6th Floor Scalloffing	1/17/2008	3:38 PM	1/17/2008	11:03 PM	4:42	1,547	Asbestos	AHERA 40 CFR, Part 763, October 30, 1987 (Modified)	RJLG TEM	1/19/2008								

Sample No.	Sampling Location	Collection Start Date	Collection (Time on)	End Date	Collection (Time off)	Total collect time, minutes	Sample Volume (liters)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Target Air Quality Levels										Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments	
												Barium Concentration (µg/m³)	Chromium Concentration (µg/m³)	Manganese Concentration (µg/m³)	Zinc Concentration (µg/m³)	Beryllium Concentration (µg/m³)	Copper Concentration (µg/m³)	Mercury Particulate Concentration (µg/m³)	Cadmium Concentration (µg/m³)	Lead Concentration (µg/m³)	Nickel Concentration (µg/m³)				Antimony Concentration (µg/m³)
												EPA Site Specific Trigger Levels													
												6.00	60.00	0.50	165.00	0.20	100.00	3.00	2.00	1.50	3.00	14.00			
5271376	3 - 90 West Courtyard at 2nd Floor Level	1/13/2008	7:17 AM	1/14/2008	7:25 AM	1,448	4,959	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/15/2008	0.019	< 0.0400	0.036	0.19	< 0.0020	0.032	< 0.0020	0.013	0.023	< 0.012	No	No		
5271320	4 - Albany St 6th Floor Scaffolding	1/13/2008	8:52 AM	1/14/2008	8:00 AM	1,388	4,884	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/15/2008	0.018	0.043	0.029	0.08	< 0.0021	0.027	< 0.0021	< 0.0021	< 0.008	0.016	< 0.012	No	No	
5271324	5 - Washington St 6th Floor Scaffolding	1/13/2008	8:45 AM	1/14/2008	8:33 AM	1,433	4,944	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/15/2008	0.014	< 0.040	0.041	0.11	< 0.0020	0.021	< 0.0020	< 0.0020	< 0.008	0.016	< 0.012	No	No	
5271328	6 - Cedar St 6th Floor Scaffolding	1/13/2008	8:25 AM	1/14/2008	8:48 AM	1,463	5,194	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/15/2008	0.017	0.046	0.041	0.14	< 0.0019	0.042	< 0.0019	< 0.0019	< 0.008	0.019	< 0.012	No	No	
5271332	7 - Roof, East Facade	1/13/2008	8:10 AM	1/14/2008	7:31 AM	1,401	5,114	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/15/2008	0.015	0.042	0.026	0.10	< 0.0020	0.026	< 0.0020	< 0.0020	0.017	0.016	< 0.012	No	No	
5271336	8 - Roof, North Facade	1/13/2008	7:55 AM	1/14/2008	7:45 AM	1,429	5,073	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/15/2008	0.013	0.059	0.029	0.11	< 0.0020	0.026	< 0.0020	< 0.0020	0.018	0.018	< 0.012	No	No	
5264531	3 - 90 West Courtyard at 2nd Floor Level	1/14/2008	7:25 AM	1/15/2008	7:27 AM	1,442	4,976	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/16/2008	0.022	0.047	0.021	0.10	< 0.0020	0.044	< 0.0020	< 0.0020	0.013	0.014	< 0.012	No	No	
5264535	4 - Albany St 6th Floor Scaffolding	1/14/2008	8:56 AM	1/15/2008	7:58 AM	1,432	5,048	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/16/2008	0.028	0.043	0.023	0.11	< 0.0020	0.103	< 0.0020	< 0.0020	0.037	0.019	< 0.012	No	No	
5264539	5 - Washington St 6th Floor Scaffolding	1/14/2008	8:35 AM	1/15/2008	8:08 AM	1,415	4,872	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/16/2008	0.024	0.046	0.024	0.11	< 0.0021	0.013	< 0.0021	< 0.0021	0.020	0.014	< 0.012	No	No	
5264543	6 - Cedar St 6th Floor Scaffolding	1/14/2008	8:53 AM	1/15/2008	8:24 AM	1,411	4,539	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/16/2008	0.020	0.056	0.022	0.11	< 0.0020	0.369	< 0.0020	< 0.0020	0.008	0.010	< 0.012	No	No	
5264547	7 - Roof, East Facade	1/14/2008	7:36 AM	1/15/2008	7:03 AM	1,407	5,072	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/16/2008	0.017	0.052	0.019	0.12	< 0.0020	0.217	< 0.0020	< 0.0020	0.008	0.008	< 0.012	No	No	
5264551	8 - Roof, North Facade	1/14/2008	7:52 AM	1/15/2008	7:43 AM	1,431	4,931	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/16/2008	0.019	0.059	0.030	0.08	< 0.0020	0.168	< 0.0020	< 0.0020	< 0.008	0.012	< 0.012	No	No	
5264603	3 - 90 West Courtyard at 2nd Floor Level	1/15/2008	7:52 AM	1/16/2008	7:18 AM	1,426	4,920	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/17/2008	0.014	0.051	0.022	0.28	< 0.0020	0.017	< 0.0020	< 0.0020	< 0.008	0.013	< 0.012	No	No	
5264607	4 - Albany St 6th Floor Scaffolding	1/15/2008	8:01 AM	1/16/2008	7:56 AM	1,435	5,202	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/17/2008	0.013	0.050	0.010	0.12	< 0.0019	0.025	< 0.0019	< 0.0019	0.013	0.009	< 0.012	No	No	
5264611	5 - Washington St 6th Floor Scaffolding	1/15/2008	8:13 AM	1/16/2008	8:09 AM	1,435	5,033	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/17/2008	0.025	0.048	0.021	0.13	< 0.0020	0.022	< 0.0020	< 0.0020	0.063	0.008	< 0.012	No	No	
5264615	6 - Cedar St 6th Floor Scaffolding	1/15/2008	8:32 AM	1/16/2008	8:18 AM	1,422	4,977	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/17/2008	0.0190	< 0.039	0.037	0.13	< 0.0020	0.0240	< 0.0020	< 0.0020	0.022	0.008	< 0.012	No	No	
5264619	7 - Roof, East Facade	1/15/2008	7:11 AM	1/16/2008	6:51 AM	1,420	5,214	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/17/2008	0.013	0.056	0.014	0.07	< 0.0019	0.022	< 0.0019	< 0.0019	< 0.008	0.008	< 0.012	No	No	
5264623	8 - Roof, North Facade	1/15/2008	7:52 AM	1/16/2008	7:29 AM	1,416	5,022	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/17/2008	0.015	0.056	0.026	0.13	< 0.0020	0.022	< 0.0020	< 0.0020	< 0.008	0.008	< 0.012	No	No	
5264627	3 - 90 West Courtyard at 2nd Floor Level	1/16/2008	7:26 AM	1/17/2008	7:07 AM	1,421	4,831	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/18/2008	0.019	0.066	0.018	0.13	< 0.0021	0.017	< 0.0021	< 0.0021	0.010	0.008	< 0.012	No	No	
5264679	4 - Albany St 6th Floor Scaffolding	1/16/2008	7:47 AM	1/17/2008	7:27 AM	1,420	4,615	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/18/2008	0.026	< 0.043	0.011	0.08	< 0.0022	0.016	< 0.0022	< 0.0022	0.016	0.009	< 0.012	No	No	
5264683	4 - Albany St 6th Floor Scaffolding	1/16/2008	8:00 AM	1/17/2008	7:52 AM	1,412	4,977	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/18/2008	0.031	0.042	0.018	0.09	< 0.0020	0.019	< 0.0020	< 0.0020	0.029	0.008	< 0.012	No	No	
5264635	5 - Washington St 6th Floor Scaffolding	1/16/2008	8:10 AM	1/17/2008	7:43 AM	1,413	4,875	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/18/2008	0.036	0.050	0.025	0.10	< 0.0021	0.020	< 0.0021	< 0.0021	0.021	0.008	< 0.012	No	No	
5264639	6 - Cedar St 6th Floor Scaffolding	1/16/2008	8:21 AM	1/17/2008	7:53 AM	1,412	4,942	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/18/2008	0.022	0.064	0.027	0.10	< 0.0020	0.026	< 0.0020	< 0.0020	< 0.008	0.008	< 0.012	No	No	
5264643	7 - Roof, East Facade	1/16/2008	7:50 AM	1/17/2008	7:07 AM	1,446	5,262	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/18/2008	0.022	< 0.038	0.020	0.12	< 0.0019	0.026	< 0.0019	< 0.0019	0.031	0.008	< 0.012	No	No	
5264647	8 - Roof, North Facade	1/16/2008	7:37 AM	1/17/2008	7:42 AM	1,445	4,915	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/18/2008	0.018	< 0.048	0.020	0.14	< 0.0019	0.025	< 0.0019	< 0.0019	< 0.008	0.011	< 0.012	No	No	
5264651	3 - 90 West Courtyard at 2nd Floor Level	1/17/2008	7:12 AM	1/18/2008	7:07 AM	1,435	4,700	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/19/2008	0.032	0.062	0.024	0.14	< 0.0021	0.026	< 0.0021	< 0.0021	0.021	0.020	< 0.012	No	No	
5264655	4 - Albany St 6th Floor Scaffolding	1/17/2008	7:57 AM	1/18/2008	7:25 AM	1,428	5,034	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/19/2008	0.051	0.047	0.031	0.22	< 0.0020	0.044	< 0.0020	< 0.0020	0.056	0.021	< 0.012	No	No	
5264659	5 - Washington St 6th Floor Scaffolding	1/17/2008	7:46 AM	1/18/2008	7:37 AM	1,431	4,758	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/19/2008	0.046	0.053	0.032	0.14	< 0.0021	0.033	< 0.0021	< 0.0021	0.028	0.020	< 0.012	No	No	
5264663	6 - Cedar St 6th Floor Scaffolding	1/17/2008	7:57 AM	1/18/2008	7:46 AM	1,420	5,062	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/19/2008	0.036	0.059	0.030	0.14	< 0.0020	0.036	< 0.0020	< 0.0020	0.022	0.013	< 0.012	No	No	
5264667	7 - Roof, East Facade	1/17/2008	7:14 AM	1/18/2008	7:24 AM	1,460	5,251	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/19/2008	0.039	0.051	0.023	0.19	< 0.0019	0.056	< 0.0019	< 0.0019	0.062	0.010	< 0.012	No	No	
5264671	8 - Roof, North Facade	1/17/2008	7:51 AM	1/18/2008	8:13 AM	1,452	5,005	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/19/2008	0.030	0.059	0.024	0.13	< 0.0019	0.027	< 0.0019	< 0.0019	0.020	0.013	< 0.012	No	No	
5264675	3 - 90 West Courtyard at 2nd Floor Level	1/18/2008	7:13 AM	1/19/2008	7:41 AM	1,468	5,254	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/21/2008	0.034	0.057	0.025	0.17	< 0.0021	0.021	< 0.0021	< 0.0021	0.062	0.010	< 0.012	No	No	
5271548	4 - Albany St 6th Floor Scaffolding	1/18/2008	7:31 AM	1/19/2008	8:16 AM	1,485	5,123	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/21/2008	0.016	0.058	0.010	0.07	< 0.0020	0.019	< 0.0020	< 0.0020	0.008	0.012	< 0.012	No	No	
5264683	5 - Washington St 6th Floor Scaffolding	1/18/2008	7:41 AM	1/19/2008	8:02 AM	1,521	6,095	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/21/2008	0.018	0.042	0.016	0.13	< 0.0020	0.027	< 0.0020	< 0.0020	0.013	0.011	< 0.012	No	No	
5264687	6 - Cedar St 6th Floor Scaffolding	1/18/2008	7:52 AM	1/19/2008	7:27 AM	1,535	5,411	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/21/2008	0.026	0.043	0.037	0.12	< 0.0019	0.036	< 0.0019	< 0.0019	0.029	0.011	< 0.012	No	No	
5264691	7 - Roof, East Facade	1/18/2008	7:47 AM	1/19/2008	7:36 AM	1,429	5,169	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/21/2008	0.022	0.046	0.020	0.09	< 0.0019	0.021	< 0.0019	< 0.0019	0.016	0.011	< 0.012	No	No	
5264695	8 - Roof, North Facade	1/18/2008	8:23 AM	1/19/2008	7:54 AM	1,411	5,154	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/21/2008	0.020	0.044	0.026	0.12	< 0.0019	0.026	< 0.0019	< 0.0019	0.011	0.011	< 0.012	No	No	
5264699	3 - 90 West Courtyard at 2nd Floor Level	1/19/2008	7:25 AM	1/20/2008	7:26 AM	1,421	4,726	Metals	NIOSH 7300 Modified ICP-MS	R/L G Metals	1/22/2008	0.014	< 0.04												

MasterWorks - 130 Cedar Building, Community Monitoring															
Sample No.	Sampling Location	Collection Start Date	Collection (Time on)	Collection End Date	Collection (Time off)	Total Collection Time, minutes	Volume (liters)	Analysis	Analytical Method	Lab	Lab Sample Receipt Date	Mercury Concentration (ng/m <sup>3</sup> )	EPA Site Specific Trigger Level for Mercury (ng/m <sup>3</sup> )	Exceeds Target Air Quality or EPA Site Specific Level?	Comments
5271379	3 - 90 West Courtyard at 2nd Floor Level	1/13/2008	7:17 AM	1/14/2008	7:25 AM	1,448	550	Mercury	EPA 324/1631 mod.	BRL	01/15/2008	<6	3000 ng/m <sup>3</sup>	No	
5271323	4 - Albany St 6th Floor Scaffolding	1/13/2008	8:52 AM	1/14/2008	8:00 AM	1,388	541	Mercury	EPA 324/1631 mod.	BRL	01/15/2008	<6	3000 ng/m <sup>3</sup>	No	
5271327	5 - Washington St 6th Floor Scaffolding	1/13/2008	8:40 AM	1/14/2008	8:33 AM	1,433	588	Mercury	EPA 324/1631 mod.	BRL	01/15/2008	<5	3000 ng/m <sup>3</sup>	No	
5271331	6 - Cedar St 6th Floor Scaffolding	1/13/2008	8:25 AM	1/14/2008	8:48 AM	1,463	578	Mercury	EPA 324/1631 mod.	BRL	01/15/2008	<5	3000 ng/m <sup>3</sup>	No	
5271335	7 - Roof, East Facade	1/13/2008	8:10 AM	1/14/2008	7:31 AM	1,401	563	Mercury	EPA 324/1631 mod.	BRL	01/15/2008	<6	3000 ng/m <sup>3</sup>	No	
5271339	8 - Roof, North Facade	1/13/2008	7:56 AM	1/14/2008	7:45 AM	1,429	565	Mercury	EPA 324/1631 mod.	BRL	01/15/2008	<5	3000 ng/m <sup>3</sup>	No	
5264534	3 - 90 West Courtyard at 2nd Floor Level	1/14/2008	7:25 AM	1/15/2008	7:27 AM	1,442	555	Mercury	EPA 324/1631 mod.	BRL	01/16/2008	<6	3000 ng/m <sup>3</sup>	No	
5264538	4 - Albany St 6th Floor Scaffolding	1/14/2008	8:06 AM	1/15/2008	7:58 AM	1,432	566	Mercury	EPA 324/1631 mod.	BRL	01/16/2008	<5	3000 ng/m <sup>3</sup>	No	
5264542	5 - Washington St 6th Floor Scaffolding	1/14/2008	8:36 AM	1/15/2008	8:08 AM	1,412	523	Mercury	EPA 324/1631 mod.	BRL	01/16/2008	<6	3000 ng/m <sup>3</sup>	No	
5264546	6 - Cedar St 6th Floor Scaffolding	1/14/2008	8:53 AM	1/15/2008	8:24 AM	1,411	557	Mercury	EPA 324/1631 mod.	BRL	01/16/2008	<6	3000 ng/m <sup>3</sup>	No	
5264550	7 - Roof, East Facade	1/14/2008	7:36 AM	1/15/2008	7:03 AM	1,407	556	Mercury	EPA 324/1631 mod.	BRL	01/16/2008	<6	3000 ng/m <sup>3</sup>	No	
5264554	8 - Roof, North Facade	1/14/2008	7:52 AM	1/15/2008	7:43 AM	1,431	537	Mercury	EPA 324/1631 mod.	BRL	01/16/2008	<6	3000 ng/m <sup>3</sup>	No	
5264806	3 - 90 West Courtyard at 2nd Floor Level	1/15/2008	7:32 AM	1/16/2008	7:18 AM	1,426	556	Mercury	EPA 324/1631 mod.	BRL	01/17/2008	<6	3000 ng/m <sup>3</sup>	No	
5264810	4 - Albany St 6th Floor Scaffolding	1/15/2008	8:01 AM	1/16/2008	7:56 AM	1,435	596	Mercury	EPA 324/1631 mod.	BRL	01/17/2008	<5	3000 ng/m <sup>3</sup>	No	
5264814	5 - Washington St 6th Floor Scaffolding	1/15/2008	8:11 AM	1/16/2008	8:06 AM	1,435	581	Mercury	EPA 324/1631 mod.	BRL	01/17/2008	<5	3000 ng/m <sup>3</sup>	No	
5264818	6 - Cedar St 6th Floor Scaffolding	1/15/2008	8:32 AM	1/16/2008	8:17 AM	1,425	599	Mercury	EPA 324/1631 mod.	BRL	01/17/2008	<5	3000 ng/m <sup>3</sup>	No	
5264822	7 - Roof, East Facade	1/15/2008	7:11 AM	1/16/2008	6:51 AM	1,420	547	Mercury	EPA 324/1631 mod.	BRL	01/17/2008	<6	3000 ng/m <sup>3</sup>	No	
5264826	8 - Roof, North Facade	1/15/2008	7:52 AM	1/16/2008	7:28 AM	1,416	562	Mercury	EPA 324/1631 mod.	BRL	01/17/2008	<6	3000 ng/m <sup>3</sup>	No	
5264830	3 - 90 West Courtyard at 2nd Floor Level	1/16/2008	7:26 AM	1/17/2008	7:07 AM	1,421	533	Mercury	EPA 324/1631 mod.	BRL	01/18/2008	<6	3000 ng/m <sup>3</sup>	No	
5264834	4 - Albany St 6th Floor Scaffolding	1/16/2008	8:00 AM	1/17/2008	7:32 AM	1,412	565	Mercury	EPA 324/1631 mod.	BRL	01/18/2008	<5	3000 ng/m <sup>3</sup>	No	
5264882	4 - Albany St 6th Floor Scaffolding	1/16/2008	7:47 AM	1/17/2008	7:27 AM	1,420	575	Mercury	EPA 324/1631 mod.	BRL	01/18/2008	<5	3000 ng/m <sup>3</sup>	No	
5264838	5 - Washington St 6th Floor Scaffolding	1/16/2008	8:10 AM	1/17/2008	7:43 AM	1,413	551	Mercury	EPA 324/1631 mod.	BRL	01/18/2008	<6	3000 ng/m <sup>3</sup>	No	
5264842	6 - Cedar St 6th Floor Scaffolding	1/16/2008	8:21 AM	1/17/2008	7:53 AM	1,412	565	Mercury	EPA 324/1631 mod.	BRL	01/18/2008	<5	3000 ng/m <sup>3</sup>	No	
5264846	7 - Roof, East Facade	1/16/2008	7:01 AM	1/17/2008	7:07 AM	1,446	557	Mercury	EPA 324/1631 mod.	BRL	01/18/2008	<6	3000 ng/m <sup>3</sup>	No	
5264850	8 - Roof, North Facade	1/16/2008	7:37 AM	1/17/2008	7:42 AM	1,445	571	Mercury	EPA 324/1631 mod.	BRL	01/18/2008	<5	3000 ng/m <sup>3</sup>	No	
5264854	3 - 90 West Courtyard at 2nd Floor Level	1/17/2008	7:12 AM	1/18/2008	7:07 AM	1,435	287	Mercury	EPA 324/1631 mod.	BRL	01/19/2008	<11	3000 ng/m <sup>3</sup>	No	sample flow restriction (water), sample volume estimated
5264858	4 - Albany St 6th Floor Scaffolding	1/17/2008	7:37 AM	1/18/2008	7:25 AM	1,428	286	Mercury	EPA 324/1631 mod.	BRL	01/19/2008	<11	3000 ng/m <sup>3</sup>	No	sample flow restriction (water), sample volume estimated
5264862	5 - Washington St 6th Floor Scaffolding	1/17/2008	7:46 AM	1/18/2008	7:37 AM	1,431	537	Mercury	EPA 324/1631 mod.	BRL	01/19/2008	<6	3000 ng/m <sup>3</sup>	No	
5264866	6 - Cedar St 6th Floor Scaffolding	1/17/2008	7:57 AM	1/18/2008	7:46 AM	1,429	572	Mercury	EPA 324/1631 mod.	BRL	01/19/2008	<5	3000 ng/m <sup>3</sup>	No	
5264870	7 - Roof, East Facade	1/17/2008	7:14 AM	1/18/2008	7:34 AM	1,460	292	Mercury	EPA 324/1631 mod.	BRL	01/19/2008	<11	3000 ng/m <sup>3</sup>	No	sample flow restriction (water), sample volume estimated
5264874	8 - Roof, North Facade	1/17/2008	7:51 AM	1/18/2008	8:13 AM	1,462	292	Mercury	EPA 324/1631 mod.	BRL	01/19/2008	<9	3000 ng/m <sup>3</sup>	No	sample flow restriction (water), sample volume estimated
5264878	3 - 90 West Courtyard at 2nd Floor Level	1/18/2008	7:13 AM	1/19/2008	7:41 AM	1,468	573	Mercury	EPA 324/1631 mod.	BRL	01/21/2008	<5	3000 ng/m <sup>3</sup>	No	
5271551	4 - Albany St 6th Floor Scaffolding	1/18/2008	7:31 AM	1/19/2008	8:16 AM	1,485	579	Mercury	EPA 324/1631 mod.	BRL	01/21/2008	<5	3000 ng/m <sup>3</sup>	No	
5264886	5 - Washington St 6th Floor Scaffolding	1/18/2008	7:41 AM	1/19/2008	9:02 AM	1,521	624	Mercury	EPA 324/1631 mod.	BRL	01/21/2008	<5	3000 ng/m <sup>3</sup>	No	
5264890	6 - Cedar St 6th Floor Scaffolding	1/18/2008	7:52 AM	1/19/2008	9:27 AM	1,535	606	Mercury	EPA 324/1631 mod.	BRL	01/21/2008	<5	3000 ng/m <sup>3</sup>	No	
5264894	7 - Roof, East Facade	1/18/2008	7:47 AM	1/19/2008	7:36 AM	1,429	557	Mercury	EPA 324/1631 mod.	BRL	01/21/2008	<6	3000 ng/m <sup>3</sup>	No	
5264898	8 - Roof, North Facade	1/18/2008	8:23 AM	1/19/2008	7:54 AM	1,411	564	Mercury	EPA 324/1631 mod.	BRL	01/21/2008	<5	3000 ng/m <sup>3</sup>	No	
5270802	3 - 90 West Courtyard at 2nd Floor Level	1/19/2008	7:45 AM	1/20/2008	7:28 AM	1,423	562	Mercury	EPA 324/1631 mod.	BRL	01/22/2008	<5	3000 ng/m <sup>3</sup>	No	
5270806	4 - Albany St 6th Floor Scaffolding	1/19/2008	8:21 AM	1/20/2008	8:49 AM	1,468	551	Mercury	EPA 324/1631 mod.	BRL	01/22/2008	<6	3000 ng/m <sup>3</sup>	No	
5270810	5 - Washington St 6th Floor Scaffolding	1/19/2008	9:07 AM	1/20/2008	8:22 AM	1,395	516	Mercury	EPA 324/1631 mod.	BRL	01/22/2008	<6	3000 ng/m <sup>3</sup>	No	
5270814	6 - Cedar St 6th Floor Scaffolding	1/19/2008	9:31 AM	1/20/2008	8:00 AM	1,349	546	Mercury	EPA 324/1631 mod.	BRL	01/22/2008	<6	3000 ng/m <sup>3</sup>	No	
5270818	7 - Roof, East Facade	1/19/2008	7:42 AM	1/20/2008	7:24 AM	1,422	583	Mercury	EPA 324/1631 mod.	BRL	01/22/2008	<5	3000 ng/m <sup>3</sup>	No	
5270822	8 - Roof, North Facade	1/19/2008	8:00 AM	1/20/2008	7:48 AM	1,428	578	Mercury	EPA 324/1631 mod.	BRL	01/22/2008	<5	3000 ng/m <sup>3</sup>	No	

## MasterWorks - 130 Cedar Building, Community Monitoring

Sample No.	Sampling Location	Collection Start Date	Collection (Time on)	Collection End Date	Collection (Time off)	Total Collection Time, minutes	Volume (liters)	Analysis	Analytical Method	Lab	Lab Sample Receipt Date	Asbestos Concentration (f/cc)	MMVF Concentration (f/cc)	EPA Site Specific Trigger Level	Exceeds EPA Site Specific Trigger Level?	Comments
5271378	3 - 90 West Courtyard at 2nd Floor Level	1/13/2008	7:17 AM	1/14/2008	7:25 AM	1,448	4,272	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/15/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5271322	4 - Albany St 6th Floor Scaffolding	1/13/2008	8:52 AM	1/14/2008	8:00 AM	1,388	4,164	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/15/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5271326	5 - Washington St 6th Floor Scaffolding	1/13/2008	8:40 AM	1/14/2008	8:33 AM	1,433	4,407	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/15/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5271330	6 - Cedar St 6th Floor Scaffolding	1/13/2008	8:25 AM	1/14/2008	8:48 AM	1,463	4,389	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/15/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5271334	7 - Roof, East Facade	1/13/2008	8:10 AM	1/14/2008	7:31 AM	1,401	4,355	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/15/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5271338	8 - Roof, North Facade	1/13/2008	7:56 AM	1/14/2008	7:45 AM	1,429	4,359	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/15/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264533	3 - 90 West Courtyard at 2nd Floor Level	1/14/2008	7:25 AM	1/15/2008	7:27 AM	1,442	4,146	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/16/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264537	4 - Albany St 6th Floor Scaffolding	1/14/2008	8:06 AM	1/15/2008	7:58 AM	1,432	4,189	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/16/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264541	5 - Washington St 6th Floor Scaffolding	1/14/2008	8:36 AM	1/15/2008	8:08 AM	1,412	4,130	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/16/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264545	6 - Cedar St 6th Floor Scaffolding	1/14/2008	8:53 AM	1/15/2008	8:24 AM	1,411	4,233	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/16/2008	<0.00005	0.00005	0.0009 f/cc	No	
5264549	7 - Roof, East Facade	1/14/2008	7:36 AM	1/15/2008	7:03 AM	1,407	4,087	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/16/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264553	8 - Roof, North Facade	1/14/2008	7:52 AM	1/15/2008	7:43 AM	1,431	3,970	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/16/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264805	3 - 90 West Courtyard at 2nd Floor Level	1/15/2008	7:32 AM	1/16/2008	7:18 AM	1,426	4,242	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/17/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264809	4 - Albany St 6th Floor Scaffolding	1/15/2008	8:01 AM	1/16/2008	7:56 AM	1,435	4,305	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/17/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264813	5 - Washington St 6th Floor Scaffolding	1/15/2008	8:11 AM	1/16/2008	8:06 AM	1,435	4,233	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/17/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264817	6 - Cedar St 6th Floor Scaffolding	1/15/2008	8:32 AM	1/16/2008	8:17 AM	1,425	4,275	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/17/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264821	7 - Roof, East Facade	1/15/2008	7:11 AM	1/16/2008	6:51 AM	1,420	4,267	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/17/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264825	8 - Roof, North Facade	1/15/2008	7:52 AM	1/16/2008	7:28 AM	1,416	4,416	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/17/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264829	3 - 90 West Courtyard at 2nd Floor Level	1/16/2008	7:26 AM	1/17/2008	7:07 AM	1,421	4,263	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/18/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264833	4 - Albany St 6th Floor Scaffolding	1/16/2008	8:00 AM	1/17/2008	7:32 AM	1,412	4,165	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/18/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264881	4 - Albany St 6th Floor Scaffolding	1/16/2008	7:47 AM	1/17/2008	7:27 AM	1,420	4,189	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/18/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264837	5 - Washington St 6th Floor Scaffolding	1/16/2008	8:10 AM	1/17/2008	7:43 AM	1,413	4,310	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/18/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264841	6 - Cedar St 6th Floor Scaffolding	1/16/2008	8:21 AM	1/17/2008	7:53 AM	1,412	4,201	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/18/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264845	7 - Roof, East Facade	1/16/2008	7:01 AM	1/17/2008	7:07 AM	1,446	4,612	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/18/2008	<0.00004	<0.00004	0.0009 f/cc	No	
5264849	8 - Roof, North Facade	1/16/2008	7:37 AM	1/17/2008	7:42 AM	1,445	4,597	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/18/2008	<0.00004	0.00004	0.0009 f/cc	No	
5264853	3 - 90 West Courtyard at 2nd Floor Level	1/17/2008	7:12 AM	1/18/2008	7:07 AM	1,435	4,233	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/19/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264857	4 - Albany St 6th Floor Scaffolding	1/17/2008	7:37 AM	1/18/2008	7:25 AM	1,428	4,427	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/19/2008	<0.00004	<0.00004	0.0009 f/cc	No	
5264861	5 - Washington St 6th Floor Scaffolding	1/17/2008	7:46 AM	1/18/2008	7:37 AM	1,431	4,007	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/19/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264865	6 - Cedar St 6th Floor Scaffolding	1/17/2008	7:57 AM	1/18/2008	7:36 AM	1,419	4,257	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/19/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264869	7 - Roof, East Facade	1/17/2008	7:14 AM	1/18/2008	7:34 AM	1,460	4,515	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/19/2008	<0.00004	0.00004	0.0009 f/cc	No	
5264873	8 - Roof, North Facade	1/17/2008	7:51 AM	1/18/2008	8:13 AM	1,462	4,586	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/19/2008	<0.00004	<0.00004	0.0009 f/cc	No	
5264877	3 - 90 West Courtyard at 2nd Floor Level	1/18/2008	7:13 AM	1/19/2008	7:41 AM	1,468	4,257	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/21/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5271550	4 - Albany St 6th Floor Scaffolding	1/18/2008	7:31 AM	1/19/2008	8:16 AM	1,485	4,269	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/21/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264885	5 - Washington St 6th Floor Scaffolding	1/18/2008	7:41 AM	1/19/2008	9:02 AM	1,521	4,487	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/21/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264889	6 - Cedar St 6th Floor Scaffolding	1/18/2008	7:52 AM	1/19/2008	9:27 AM	1,535	4,605	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/21/2008	<0.00004	<0.00004	0.0009 f/cc	No	
5264893	7 - Roof, East Facade	1/18/2008	7:47 AM	1/19/2008	7:36 AM	1,429	4,449	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/21/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5264897	8 - Roof, North Facade	1/18/2008	8:23 AM	1/19/2008	7:54 AM	1,411	4,497	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/21/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5270801	3 - 90 West Courtyard at 2nd Floor Level	1/19/2008	7:45 AM	1/20/2008	7:24 AM	1,419	4,080	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/22/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5270805	4 - Albany St 6th Floor Scaffolding	1/19/2008	8:21 AM	1/20/2008	8:44 AM	1,463	4,389	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/22/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5270809	5 - Washington St 6th Floor Scaffolding	1/19/2008	9:07 AM	1/20/2008	8:16 AM	1,389	4,063	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/22/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5270813	6 - Cedar St 6th Floor Scaffolding	1/19/2008	9:31 AM	1/20/2008	7:59 AM	1,348	3,842	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/22/2008	<0.00005	<0.00005	0.0009 f/cc	No	
5270817	7 - Roof, East Facade	1/19/2008	7:42 AM	1/20/2008	7:24 AM	1,422	4,735	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/22/2008	<0.00004	<0.00004	0.0009 f/cc	No	
5270821	8 - Roof, North Facade	1/19/2008	8:00 AM	1/20/2008	7:48 AM	1,428	4,115	Asbestos PCME fibers	ISO 14966 mod	RJLG SEM	1/22/2008	<0.00005	<0.00005	0.0009 f/cc	No	

Sample No.	Sampling Location	Collection Start Date	Collection (Time on)	Collection End Date	Collection (Time off)	Total collection time, minutes	Total Volume (liters)	Analyte	Analytical Method	Lab	Lab Receipt Date	Respirable Dust Concentration (mg/m <sup>3</sup> )	Respirable Quartz Concentration (mg/m <sup>3</sup> )	Target Air quality Level for Respirable Quartz (mg/m <sup>3</sup> )	EPA Site Specific Trigger Level for Respirable Quartz (mg/m <sup>3</sup> )	Exceeds Target Air quality of EPA Site Specific Level?	Comments
5271377	3 - 90 West Courtyard at 2nd Floor Level	1/13/2008	7:17 AM	1/14/2008	7:25 AM	1,448	3,620	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/15/2008	< .028	< .001	0.01	0.01	No	
5271321	4 - Albany St 6th Floor Scaffolding	1/13/2008	8:52 AM	1/14/2008	8:00 AM	1,388	3,331	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/15/2008	< .030	< .002	0.01	0.01	No	
5271325	5 - Washington St 6th Floor Scaffolding	1/13/2008	8:40 AM	1/14/2008	8:33 AM	1,433	3,510	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/15/2008	< .028	< .001	0.01	0.01	No	
5271329	6 - Cedar St 6th Floor Scaffolding	1/13/2008	8:25 AM	1/14/2008	8:48 AM	1,463	3,658	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/15/2008	< .027	< .001	0.01	0.01	No	
5271333	7 - Roof, East Facade	1/13/2008	8:10 AM	1/14/2008	7:31 AM	1,401	3,503	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/15/2008	< .029	< .001	0.01	0.01	No	
5271337	8 - Roof, North Facade	1/13/2008	7:56 AM	1/14/2008	7:45 AM	1,429	3,573	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/15/2008	< .028	< .001	0.01	0.01	No	
5264532	3 - 90 West Courtyard at 2nd Floor Level	1/14/2008	7:25 AM	1/15/2008	7:27 AM	1,442	3,677	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/16/2008	< .027	< .001	0.01	0.01	No	
5264536	4 - Albany St 6th Floor Scaffolding	1/14/2008	8:06 AM	1/15/2008	7:58 AM	1,432	3,007	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/16/2008	< .033	< .002	0.01	0.01	No	
5264540	5 - Washington St 6th Floor Scaffolding	1/14/2008	8:36 AM	1/15/2008	8:08 AM	1,412	3,460	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/16/2008	< .029	< .001	0.01	0.01	No	
5264544	6 - Cedar St 6th Floor Scaffolding	1/14/2008	8:53 AM	1/15/2008	8:24 AM	1,411	3,563	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/16/2008	< .028	< .001	0.01	0.01	No	
5264548	7 - Roof, East Facade	1/14/2008	7:36 AM	1/15/2008	7:53 AM	1,407	3,482	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/16/2008	< .029	< .001	0.01	0.01	No	
5264552	8 - Roof, North Facade	1/14/2008	7:52 AM	1/15/2008	7:43 AM	1,431	3,576	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/16/2008	< .028	< .001	0.01	0.01	No	
5264804	3 - 90 West Courtyard at 2nd Floor Level	1/15/2008	7:32 AM	1/16/2008	7:18 AM	1,426	4,278	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/17/2008	< .023	< .001	0.01	0.01	No	
5264808	4 - Albany St 6th Floor Scaffolding	1/15/2008	8:01 AM	1/16/2008	7:56 AM	1,435	3,444	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/17/2008	< .029	< .001	0.01	0.01	No	
5264812	5 - Washington St 6th Floor Scaffolding	1/15/2008	8:11 AM	1/16/2008	8:06 AM	1,435	3,588	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/17/2008	< .028	< .001	0.01	0.01	No	
5264816	6 - Cedar St 6th Floor Scaffolding	1/15/2008	8:32 AM	1/16/2008	8:17 AM	1,425	3,420	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/17/2008	< .029	< .001	0.01	0.01	No	
5264820	7 - Roof, East Facade	1/15/2008	7:11 AM	1/16/2008	6:57 AM	1,426	3,565	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/17/2008	< .028	< .001	0.01	0.01	No	
5264824	8 - Roof, North Facade	1/15/2008	7:52 AM	1/16/2008	7:28 AM	1,416	3,540	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/17/2008	< .028	< .001	0.01	0.01	No	
5264828	3 - 90 West Courtyard at 2nd Floor Level	1/16/2008	7:26 AM	1/17/2008	7:07 AM	1,421	3,654	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/18/2008	< .028	< .001	0.01	0.01	No	
5264832	4 - Albany St 6th Floor Scaffolding	1/16/2008	8:00 AM	1/17/2008	7:32 AM	1,412	3,601	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/18/2008	< .028	< .001	0.01	0.01	No	
5264880	4 - Albany St 6th Floor Scaffolding	1/16/2008	7:47 AM	1/17/2008	7:27 AM	1,420	3,692	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/18/2008	< .027	< .001	0.01	0.01	No	
5264836	5 - Washington St 6th Floor Scaffolding	1/16/2008	8:10 AM	1/17/2008	7:43 AM	1,413	3,533	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/18/2008	< .028	< .001	0.01	0.01	No	
5264840	6 - Cedar St 6th Floor Scaffolding	1/16/2008	8:21 AM	1/17/2008	7:53 AM	1,412	3,530	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/18/2008	< .028	< .001	0.01	0.01	No	
5264844	7 - Roof, East Facade	1/16/2008	7:01 AM	1/17/2008	7:07 AM	1,446	3,687	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/18/2008	< .027	< .001	0.01	0.01	No	
5264848	8 - Roof, North Facade	1/16/2008	7:37 AM	1/17/2008	7:42 AM	1,445	3,685	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/18/2008	< .027	< .001	0.01	0.01	No	
5264852	3 - 90 West Courtyard at 2nd Floor Level	1/17/2008	7:12 AM	1/18/2008	7:07 AM	1,435	3,659	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/19/2008	< .027	< .001	0.01	0.01	No	
5264856	4 - Albany St 6th Floor Scaffolding	1/17/2008	7:37 AM	1/18/2008	7:25 AM	1,428	3,856	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/19/2008	< .026	< .001	0.01	0.01	No	
5264860	5 - Washington St 6th Floor Scaffolding	1/17/2008	7:46 AM	1/18/2008	7:37 AM	1,431	3,576	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/19/2008	< .028	< .001	0.01	0.01	No	
5264864	6 - Cedar St 6th Floor Scaffolding	1/17/2008	7:57 AM	1/18/2008	7:46 AM	1,429	3,644	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/19/2008	< .027	< .001	0.01	0.01	No	
5264868	7 - Roof, East Facade	1/17/2008	7:14 AM	1/18/2008	7:34 AM	1,460	3,723	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/19/2008	< .027	< .001	0.01	0.01	No	
5264872	8 - Roof, North Facade	1/17/2008	7:51 AM	1/18/2008	8:13 AM	1,462	3,728	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/19/2008	< .027	< .001	0.01	0.01	No	
5264876	3 - 90 West Courtyard at 2nd Floor Level	1/18/2008	7:13 AM	1/19/2008	7:41 AM	1,468	3,670	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/21/2008	< .027	< .001	0.01	0.01	No	
5271549	4 - Albany St 6th Floor Scaffolding	1/18/2008	7:31 AM	1/19/2008	8:16 AM	1,485	3,119	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/21/2008	< .032	< .002	0.01	0.01	No	
5264884	5 - Washington St 6th Floor Scaffolding	1/18/2008	7:41 AM	1/19/2008	9:02 AM	1,521	3,727	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/21/2008	< .027	< .001	0.01	0.01	No	
5264888	6 - Cedar St 6th Floor Scaffolding	1/18/2008	7:52 AM	1/19/2008	9:27 AM	1,535	3,761	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/21/2008	< .027	< .001	0.01	0.01	No	
5264892	7 - Roof, East Facade	1/18/2008	7:47 AM	1/19/2008	7:36 AM	1,429	3,573	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/21/2008	< .028	< .001	0.01	0.01	No	
5264896	8 - Roof, North Facade	1/18/2008	8:23 AM	1/19/2008	7:54 AM	1,411	3,563	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/21/2008	< .028	< .001	0.01	0.01	No	
5270800	3 - 90 West Courtyard at 2nd Floor Level	1/19/2008	7:45 AM	1/20/2008	7:22 AM	1,417	3,295	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/22/2008	< .030	< .002	0.01	0.01	No	
5270804	4 - Albany St 6th Floor Scaffolding	1/19/2008	8:21 AM	1/20/2008	8:47 AM	1,466	3,586	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/22/2008	< .028	< .001	0.01	0.01	No	
5270808	5 - Washington St 6th Floor Scaffolding	1/19/2008	9:07 AM	1/20/2008	8:19 AM	1,392	3,480	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/22/2008	< .029	< .001	0.01	0.01	No	
5270812	6 - Cedar St 6th Floor Scaffolding	1/19/2008	9:31 AM	1/20/2008	7:58 AM	1,347	3,233	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/22/2008	< .031	< .002	0.01	0.01	No	
5270816	7 - Roof, East Facade	1/19/2008	7:42 AM	1/20/2008	7:24 AM	1,422	3,413	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/22/2008	< .028	< .001	0.01	0.01	No	
5270820	8 - Roof, North Facade	1/19/2008	8:00 AM	1/20/2008	7:48 AM	1,428	3,356	Dust and Quartz	NIOSH 0600/7500	RJLG XRD	1/22/2008	< .030	< .001	0.01	0.01	No	


## MasterWorks - 130 Cedar Building, Community Monitoring

Sample No.	Sampling Location	Collection Start Date	Collection (Time on)	Collection End Date	Collection (Time off)	Total Collection Time, minutes	Analysis	Analytical Method	Instrument	Lab Sample Receipt Date	PM <sub>2.5</sub> Avg. Concentration (µg/m <sup>3</sup> )	EPA Site Specific Trigger Level for PM <sub>2.5</sub> (µg/m <sup>3</sup> )	Exceeds Target Air quality or EPA Site Specific Level?	Comments
N/A	3 - Courtyard, 2nd Floor Level	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4526	N/A	14	65	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4728	N/A	12	65	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4729	N/A	16	65	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4527	N/A	16	65	No	
N/A	7 - Roof, East	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # F5003	N/A	11	65	No	
N/A	8 - Roof, North	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4607	N/A	13	65	No	
N/A	3 - Courtyard, 2nd Floor Level	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4526	N/A	12	65	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4728	N/A	13	65	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4729	N/A	15	65	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4527	N/A	14	65	No	
N/A	7 - Roof, East	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # F5003	N/A	18	65	No	
N/A	8 - Roof, North	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4607	N/A	21	65	No	
N/A	3 - Courtyard, 2nd Floor Level	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4526	N/A	12	65	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4728	N/A	13	65	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4729	N/A	13	65	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4527	N/A	15	65	No	
N/A	7 - Roof, East	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,430	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # F5003	N/A	15	65	No	
N/A	8 - Roof, North	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4607	N/A	18	65	No	
N/A	3 - Courtyard, 2nd Floor Level	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4526	N/A	8	65	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4728	N/A	8	65	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4729	N/A	8	65	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4527	N/A	8	65	No	
N/A	7 - Roof, East	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # F5003	N/A	8	65	No	
N/A	8 - Roof, North	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4607	N/A	7	65	No	
N/A	3 - Courtyard, 2nd Floor Level	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4526	N/A	12	65	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4728	N/A	14	65	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4729	N/A	14	65	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,425	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4527	N/A	15	65	No	
N/A	7 - Roof, East	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,435	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # F5003	N/A	10	65	No	
N/A	8 - Roof, North	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,435	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4607	N/A	15	65	No	
N/A	3 - Courtyard, 2nd Floor Level	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4526	N/A	12	65	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4728	N/A	13	65	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4729	N/A	13	65	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4527	N/A	16	65	No	
N/A	7 - Roof, East	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # F5003	N/A	9	65	No	
N/A	8 - Roof, North	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4607	N/A	11	65	No	
N/A	3 - Courtyard, 2nd Floor Level	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4526	N/A	12	65	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4728	N/A	13	65	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4729	N/A	13	65	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4527	N/A	15	65	No	
N/A	7 - Roof, East	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # F5003	N/A	12	65	No	
N/A	8 - Roof, North	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>2.5</sub>	Direct Read	Met One E-BAM Unit # G4607	N/A	14	65	No	

MasterWorks - 130 Cedar Building, Community Monitoring														
Sample No.	Sampling Location	Collection Start Date	Collection (Time on)	Collection End Date	Collection (Time off)	Total Collection Time, minutes	Analysis	Analytical Method	Instrument	Lab Sample Receipt Date	PM <sub>10</sub> Avg. Concentration (µg/m <sup>3</sup> )	EPA Site Specific Trigger Level for PM <sub>10</sub> (µg/m <sup>3</sup> )	Exceeds Target Air quality or EPA Site Specific Level?	Comments
N/A	3 - Courtyard, 2nd Floor Level	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4606	N/A	22	150	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4731	N/A	20	150	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4604	N/A	26	150	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4605	N/A	26	150	No	
N/A	7 - Roof, East	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # E3364	N/A	21	150	No	
N/A	8 - Roof, North	1/13/2008	12:00 AM	1/14/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # F5001	N/A	27	150	No	
N/A	3 - Courtyard, 2nd Floor Level	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4606	N/A	24	150	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4731	N/A	21	150	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4604	N/A	24	150	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4605	N/A	38	150	No	
N/A	7 - Roof, East	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # E3364	N/A	32	150	No	
N/A	8 - Roof, North	1/14/2008	12:00 AM	1/15/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # F5001	N/A	35	150	No	
N/A	3 - Courtyard, 2nd Floor Level	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4606	N/A	15	150	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4731	N/A	15	150	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4604	N/A	21	150	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4605	N/A	29	150	No	
N/A	7 - Roof, East	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # E3364	N/A	21	150	No	
N/A	8 - Roof, North	1/15/2008	12:00 AM	1/16/2008	12:00 AM	1,435	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # F5001	N/A	20	150	No	
N/A	3 - Courtyard, 2nd Floor Level	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4606	N/A	8	150	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4731	N/A	11	150	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4604	N/A	11	150	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4605	N/A	11	150	No	
N/A	7 - Roof, East	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # E3364	N/A	10	150	No	
N/A	8 - Roof, North	1/16/2008	12:00 AM	1/17/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # F5001	N/A	11	150	No	
N/A	3 - Courtyard, 2nd Floor Level	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4606	N/A	23	150	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,435	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4731	N/A	23	150	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,435	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4604	N/A	24	150	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4605	N/A	27	150	No	
N/A	7 - Roof, East	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # E3364	N/A	24	150	No	
N/A	8 - Roof, North	1/17/2008	12:00 AM	1/18/2008	12:00 AM	1,435	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # F5001	N/A	21	150	No	
N/A	3 - Courtyard, 2nd Floor Level	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4606	N/A	17	150	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,435	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4731	N/A	17	150	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4604	N/A	16	150	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4605	N/A	37	150	No	
N/A	7 - Roof, East	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # E3364	N/A	19	150	No	
N/A	8 - Roof, North	1/18/2008	12:00 AM	1/19/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # F5001	N/A	18	150	No	
N/A	3 - Courtyard, 2nd Floor Level	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4606	N/A	13	150	No	
N/A	4 - Albany St 6th Floor Level Scaffolding	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4731	N/A	14	150	No	
N/A	5 - Washington St 6th Floor Level Scaffolding	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4604	N/A	15	150	No	
N/A	6 - Cedar St 6th Floor Level Scaffolding	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # G4605	N/A	15	150	No	
N/A	7 - Roof, East	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # E3364	N/A	15	150	No	
N/A	8 - Roof, North	1/19/2008	12:00 AM	1/20/2008	12:00 AM	1,440	PM <sub>10</sub>	Direct Read	Met One E-BAM Unit # F5001	N/A	14	150	No	

350 Hochberg Road, Monroeville, PA 15146  
Phone: (724) 325-1776 Fax: (724) 733-1799

Mercury Vapor ( $Hg^0$ ) Air Results for Outdoor Community  
Monitoring Stations by Location as recorded by the Lumex Analyzer



## Report Summary

### Air Mercury Results (Hg<sup>0</sup>, ng/m<sup>3</sup>) as recorded by the Lumex RA915+ analyzer Week of 01/13/08 to 01/19/08

Date	Mercury (Hg <sup>0</sup> ) ng/m <sup>3</sup> 30-sec readings	1 Southeast corner sidewalk bridge	2 Northeast corner sidewalk bridge	3 Courtyard 2nd floor level	4 Albany Street 6th floor scaffolding	5 Washington Street 6th floor scaffolding	6 Cedar Street 6th floor scaffolding	7 Roof Washington Street façade	8 Roof Cedar Street façade
13-Jan-08	# Samples	9	9	9	9	9	9	9	9
	Average	2	2	2	3	2	2	2	2
	Maximum	2	2	2	4	2	2	2	2
14-Jan-08	# Samples	36	36	36	36	36	36	36	36
	Average	2	2	3	2	2	2	2	2
	Maximum	6	10	12	14	4	3	2	2
15-Jan-08	# Samples	36	36	36	36	36	36	36	36
	Average	2	3	2	2	2	2	2	2
	Maximum	2	9	2	4	3	3	9	3
16-Jan-08	# Samples	36	36	36	36	36	36	36	36
	Average	2	2	2	2	2	2	2	2
	Maximum	5	5	3	3	2	5	2	4
17-Jan-08	# Samples	36	36	36	36	36	36	36	36
	Average	2	2	5	2	2	2	2	2
	Maximum	4	4	14	6	6	4	2	3
18-Jan-08	# Samples	36	36	36	36	36	36	36	36
	Average	2	4	2	2	2	2	3	2
	Maximum	5	6	4	4	3	6	9	4
19-Jan-08	# Samples	9	9	9	9	9	9	9	9
	Average	2	2	2	2	2	2	2	2
	Maximum	2	2	2	3	2	2	2	2