



CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

RJ LEE GROUP, INC.

MONROEVILLE LABORATORY

350 HOCHBERG ROAD

MONROEVILLE, PA 15146

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site,
proficiency testing studies, and payment of applicable fees.


This Certificate is granted in accordance with provisions of
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1970**

Expiration Date: **2/28/2012**

Effective Date: **3/1/2010**


Richmond, California
subject to forfeiture or revocation


George C. Kulasingam, Ph.D., Chief
Environmental Laboratory Accreditation Program Branch



MARK B HORTON, MD, MSPH
Director

State of California—Health and Human Services Agency
California Department of Public Health



ARNOLD SCHWARZENEGGER
Governor

July 15, 2010

LYKOURGOS IORDANIDIS
RJ LEE GROUP, INC.
350 HOCHBERG ROAD
MONROEVILLE, PA 15146

Dear LYKOURGOS IORDANIDIS:

Certificate No. 1970

This is to advise you that the laboratory named above has been certified as an environmental testing laboratory pursuant to the provisions of the Health and Safety Code (HSC), Division 101, Part 1, Chapter 4, Section 100825, et seq.

The Fields of Testing for which this laboratory has been certified are indicated on the enclosed "Fields of Testing." The certificate shall remain in effect until **February 28, 2012** unless it is revoked. This certificate is subject to an annual fee as prescribed by HSC 100860(a).

The application for renewal of this certificate must be received before the expiration date of this certificate to remain in force according to the HSC 100845(a).

Any changes in laboratory location or structural alterations, which may affect adversely the quality of analysis in the Fields of Testing for which this laboratory has been granted a certificate, require prior notification. Notification is also required for changes in ownership or laboratory director within 30 days after the change (HSC, Section 100845(b) and (d)).

Your continued cooperation with the above requirements is essential for maintaining the high quality of the data produced by environmental laboratories certified by the State of California.

If you have any questions, please contact Fred Choske at (510) 620-3155.

Sincerely,

George C. Kulasingam, Ph.D., Chief
Environmental Laboratory Accreditation Program Branch

Enclosure



CALIFORNIA DEPARTMENT OF PUBLIC HEALTH
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing



RJ LEE GROUP, INC.
MONROEVILLE LABORATORY
350 HOCHBERG ROAD
MONROEVILLE, PA 15146
Phone: (724) 325-1776

Certificate No.: 1970
Renew Date: 2/28/2012

Field of Testing: 102 - Inorganic Chemistry of Drinking Water

102.030	001	Bromide	EPA 300.0
102.030	003	Chloride	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate	EPA 300.0
102.030	007	Nitrite	EPA 300.0
102.030	008	Phosphate, Ortho	EPA 300.0
102.030	010	Sulfate	EPA 300.0
102.140	001	Total Dissolved Solids	SM2540C
102.520	001	Calcium	EPA 200.7
102.520	002	Magnesium	EPA 200.7
102.520	003	Potassium	EPA 200.7
102.520	005	Sodium	EPA 200.7
102.520	006	Hardness (calc.)	EPA 200.7

Field of Testing: 103 - Toxic Chemical Elements of Drinking Water

103.130	001	Aluminum	EPA 200.7
103.130	003	Barium	EPA 200.7
103.130	004	Beryllium	EPA 200.7
103.130	005	Cadmium	EPA 200.7
103.130	007	Chromium	EPA 200.7
103.130	008	Copper	EPA 200.7
103.130	009	Iron	EPA 200.7
103.130	011	Manganese	EPA 200.7
103.130	012	Nickel	EPA 200.7
103.130	015	Silver	EPA 200.7
103.130	017	Zinc	EPA 200.7
103.130	018	Boron	EPA 200.7
103.140	001	Aluminum	EPA 200.8
103.140	002	Antimony	EPA 200.8
103.140	003	Arsenic	EPA 200.8
103.140	004	Barium	EPA 200.8
103.140	005	Beryllium	EPA 200.8
103.140	006	Cadmium	EPA 200.8
103.140	007	Chromium	EPA 200.8
103.140	008	Copper	EPA 200.8
103.140	009	Lead	EPA 200.8

103.140 010	Manganese	EPA 200.8
103.140 011	Mercury	EPA 200.8
103.140 012	Nickel	EPA 200.8
103.140 013	Selenium	EPA 200.8
103.140 014	Silver	EPA 200.8
103.140 015	Thallium	EPA 200.8
103.140 016	Zinc	EPA 200.8
103.140 017	Boron	EPA 200.8
103.140 018	Vanadium	EPA 200.8
103.160 001	Mercury	EPA 245.1
103.301 001	Asbestos	EPA 100.2

Field of Testing: 108 - Inorganic Chemistry of Wastewater

108.020 001	Conductivity	EPA 120.1
108.112 001	Boron	EPA 200.7
108.112 002	Calcium	EPA 200.7
108.112 003	Hardness (calc.)	EPA 200.7
108.112 004	Magnesium	EPA 200.7
108.112 005	Potassium	EPA 200.7
108.112 006	Silica	EPA 200.7
108.112 007	Sodium	EPA 200.7
108.113 001	Boron	EPA 200.8
108.113 002	Calcium	EPA 200.8
108.113 003	Magnesium	EPA 200.8
108.113 004	Potassium	EPA 200.8
108.113 005	Silica	EPA 200.8
108.113 006	Sodium	EPA 200.8
108.120 001	Bromide	EPA 300.0
108.120 002	Chloride	EPA 300.0
108.120 003	Fluoride	EPA 300.0
108.120 004	Nitrate	EPA 300.0
108.120 005	Nitrite	EPA 300.0
108.120 006	Nitrate-nitrite, Total	EPA 300.0
108.120 007	Phosphate, Ortho	EPA 300.0
108.120 008	Sulfate	EPA 300.0
108.390 001	Turbidity	SM2130B
108.430 001	Conductivity	SM2510B
108.440 001	Residue, Total	SM2540B
108.441 001	Residue, Filterable	SM2540C
108.442 001	Residue, Non-filterable	SM2540D
108.490 001	pH	SM4500-H+ B

Field of Testing: 109 - Toxic Chemical Elements of Wastewater

109.010 001	Aluminum	EPA 200.7
109.010 002	Antimony	EPA 200.7

109.010	003	Arsenic	EPA 200.7
109.010	004	Barium	EPA 200.7
109.010	005	Beryllium	EPA 200.7
109.010	007	Cadmium	EPA 200.7
109.010	009	Chromium	EPA 200.7
109.010	010	Cobalt	EPA 200.7
109.010	011	Copper	EPA 200.7
109.010	012	Iron	EPA 200.7
109.010	013	Lead	EPA 200.7
109.010	015	Manganese	EPA 200.7
109.010	016	Molybdenum	EPA 200.7
109.010	017	Nickel	EPA 200.7
109.010	019	Selenium	EPA 200.7
109.010	021	Silver	EPA 200.7
109.010	023	Thallium	EPA 200.7
109.010	024	Tin	EPA 200.7
109.010	026	Vanadium	EPA 200.7
109.010	027	Zinc	EPA 200.7
109.020	001	Aluminum	EPA 200.8
109.020	002	Antimony	EPA 200.8
109.020	003	Arsenic	EPA 200.8
109.020	004	Barium	EPA 200.8
109.020	005	Beryllium	EPA 200.8
109.020	006	Cadmium	EPA 200.8
109.020	007	Chromium	EPA 200.8
109.020	008	Cobalt	EPA 200.8
109.020	009	Copper	EPA 200.8
109.020	010	Lead	EPA 200.8
109.020	011	Manganese	EPA 200.8
109.020	012	Molybdenum	EPA 200.8
109.020	013	Nickel	EPA 200.8
109.020	014	Selenium	EPA 200.8
109.020	015	Silver	EPA 200.8
109.020	016	Thallium	EPA 200.8
109.020	017	Vanadium	EPA 200.8
109.020	018	Zinc	EPA 200.8
109.020	021	Iron	EPA 200.8
109.020	022	Tin	EPA 200.8
109.020	023	Titanium	EPA 200.8
109.190	001	Mercury	EPA 245.1

Field of Testing: 114 - Inorganic Chemistry of Hazardous Waste

114.010	001	Antimony	EPA 6010B
114.010	002	Arsenic	EPA 6010B

114.010	003	Barium	EPA 6010B
114.010	004	Beryllium	EPA 6010B
114.010	005	Cadmium	EPA 6010B
114.010	006	Chromium	EPA 6010B
114.010	007	Cobalt	EPA 6010B
114.010	008	Copper	EPA 6010B
114.010	009	Lead	EPA 6010B
114.010	010	Molybdenum	EPA 6010B
114.010	011	Nickel	EPA 6010B
114.010	012	Selenium	EPA 6010B
114.010	013	Silver	EPA 6010B
114.010	014	Thallium	EPA 6010B
114.010	015	Vanadium	EPA 6010B
114.010	016	Zinc	EPA 6010B
114.106	001	Chromium (VI)	EPA 7199
114.140	001	Mercury	EPA 7470A
114.141	001	Mercury	EPA 7471A
114.241	001	Corrosivity - pH Determination	EPA 9045C
114.250	001	Fluoride	EPA 9056

Field of Testing: 115 - Extraction Test of Hazardous Waste

115.021	001	TCLP inorganics	EPA 1311
115.030	001	Waste Extraction Test (WET)	CCR Chapter11, Article 5, Appendix II

Field of Testing: 121 - Bulk Asbestos Analysis of Hazardous Waste

121.010	001	Bulk Asbestos	EPA 600/M4-82-020
---------	-----	---------------	-------------------