



CERTIFICATE OF ACCREDITATION



RJ Lee Group, Inc.

in

Pasco, Washington, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories ([aashtoresource.org](https://www.aashtoresource.org)).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Moe Jamshidi', written over a horizontal line.

Moe Jamshidi,
AASHTO COMP Chair

This certificate was generated on 02/10/2023 at 7:55 PM Eastern Time. Please confirm the current accreditation status of this laboratory at [aashtoresource.org/aap/accreditation-directory](https://www.aashtoresource.org/aap/accreditation-directory)



AASHTO
ACCREDITED

SCOPE OF AASHTO ACCREDITATION FOR:

RJ Lee Group, Inc.

in Pasco, Washington, USA

Quality Management System

Standard:

R18 Establishing and Implementing a Quality System for Construction Materials Testing Laboratories

Accredited Since:

05/25/2021



SCOPE OF AASHTO ACCREDITATION FOR:

RJ Lee Group, Inc.

in Pasco, Washington, USA

Soil

Standard:

Accredited Since:

| | | |
|-------|---|------------|
| D421 | Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test | 05/25/2021 |
| D422 | Particle Size Analysis of Soils by Hydrometer | 05/25/2021 |
| D698 | The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop | 05/25/2021 |
| D854 | Specific Gravity of Soils | 05/25/2021 |
| D1140 | Amount of Material in Soils Finer than the No. 200 (75- μ m) Sieve | 05/25/2021 |
| D1557 | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop | 05/25/2021 |
| D1883 | The California Bearing Ratio | 05/25/2021 |
| D2166 | Unconfined Compressive Strength of Cohesive Soil | 05/25/2021 |
| D2216 | Laboratory Determination of Moisture Content of Soils | 05/25/2021 |
| D2434 | Permeability of Granular Soils (Constant Head) | 05/25/2021 |
| D2850 | Unconsolidated, Undrained Compressive Strength of Cohesive Soils in Triaxial Compression | 05/25/2021 |
| D4318 | Determining the Liquid Limit of Soils (Atterberg Limits) | 05/25/2021 |
| D4318 | Plastic Limit of Soils (Atterberg Limits) | 05/25/2021 |
| D4718 | Oversize Particle Correction | 05/25/2021 |
| D4767 | Consolidated-Undrained Triaxial Compression Test on Cohesive Soils | 05/25/2021 |
| D4972 | pH Testing of Soils | 05/25/2021 |
| D5084 | Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter | 05/25/2021 |
| G51 | Measuring pH for Corrosion Testing | 05/25/2021 |
| G57 | Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method | 05/25/2021 |
| G187 | Soil Resistivity Using the Two-Electrode Soil Box | 05/25/2021 |



AASHTO
ACCREDITED

SCOPE OF AASHTO ACCREDITATION FOR:

RJ Lee Group, Inc.

in Pasco, Washington, USA

Aggregate

Standard:

C127 Specific Gravity and Absorption of Coarse Aggregate

Accredited Since:

05/25/2021